


ŠKODA



THE SYMBOL OF RELIABILITY ON EVERY ROAD THROUGHOUT THE WORLD

More than 100 years ago, in 1859, the SKODA Works made «Quality First» its motto. And it has been true to its motto right up to the present, when it celebrates its 60th anniversary of the commencement of production of SKODA motor vehicles.

This tradition of many years, ample experience acquired in hundreds of victoriously entered contests and races as well as the boundless experience of the thousands of SKODA owners from every part of the world backs the present range of Octavia cars, guaranteeing high quality and reliability.

Fast and dependable, Octavia cars are economic in operation, have ample power in highlands, are extremely comfortable and are of unobtrusively elegant styling.

Octavia affords full riding comfort even to a five-member family due to its foam-rubber-padded seat. Perfect fresh air ventilation, efficient heating in cold weather, modern combination upholstery, and a new, smartly styled facia panel well in view of the driver.

Safe and carefree driving with the Octavia is ensured by the central backbone tube of exceptionally high resistance against torsional stress, and the flush-sided body of SKODA sheet steel, a guarantee of driving safety whatever the occasion. Anti-fade high efficiency brakes and independent all-round suspension with front coil springs enable full advantage to be taken of the high performance of the car and the maintenance of high travelling averages regardless of badly surfaces roads.



SKODA Octavia



SKODA Felicia

BIG CAR - LITTLE MONEY

A fast, elegant car of high performance, a most happy union of the sportsman-motorist's wishes AND the family requirements regarding the riding comfort, not to speak of the all-important features of the up-to-date technical development.

Its stylish and roomy body, affording all the modern comfort, features a safety steering wheel, adjustable seats, perfect air conditioning with most efficient heating, extra voluminous luggage boot.

THREE IN ONE

On a fine day, sunshine and open air are yours, when driving the **SKODA FELICIA**. Should it start to rain - a few movements, a matter of several seconds only - and the soft top is raised. When not in use, the canvas hood (top) supported by a light tabular structure is folded in a compartment behind the rear seats. When the hardtop is mounted on the car the canvas hood, folded in its compartment, is stowed out of sight, being covered by a glass fibre lid attached to the bottom of the hardtop and forming a kind of parcel shelf. The newly styled hardtop made of fibre glass, has additional rear window flaps for ventilation. It can be fitted to the body quite easily and makes the Felicia a fine sports coupé of quite outstanding elegance.



SKODA *Octavia Combi*

HAS EVERYTHING YOU LOOK FOR IN A GOOD CAR

What do you look for first? Quality – to get the best value for your money. And quality is inherent to the SKODA Octavia Combi, a literally multipurpose car, equally suited for long tours with hosts of luggage, for camping trips complete with fishing rods or other sports gear, as well as for fast and safe haulage of goods in all branches of industry. Whether for business or fun, the Combi will meet your needs. Just one inspection will convince you that the Combi has not been designed to please the eye only. Nice to look at – yes! But so useful, too.



The smooth floor made of sheet metal and carefully lined with hard-to-wear "Umakart" plastic makes for easy loading and unloading of goods as well as for simple cleaning.

Beautiful interiors and a high degree of comfort are no longer a luxury, but a necessity for the modern motorist. The seats, well upholstered in foam rubber, are adjustable in horizontal plane. The slant angle can be adjusted by means of a special handwheel.

Maximum fuel consumption: 8.6 litres per 100 km or 33.2 m. p. l. g. – Peak speed 120 km. p. h. or 74.6 m. p. h. – Power output, SAE: 74 BHP/4500 RPM.





The SKODA cars have travelled throughout Africa, gaining popularity everywhere

Perfect after-sales service in every part of the world



SKODA - the focus of attention at international exhibitions and trade fairs

Safety steering wheel. Simple maintenance. Comfortable interior. Neatly arranged fascia panel.



SKODA - the best recommendation for its owner

A car of crisp lines and thoroughbred styling



High-performance engine of 53 HP at 5100 RPM

SKODA - a fast, economical, elegant car



ŠKODA 1202

STW



ELEGANCE

AND VALUE FOR MONEY —

ALL IN ONE —

THE MULTIPURPOSE ŠKODA 1202 STATION WAGGON

Seating capacity: front — 2 adults — one child; rear — 3 adults

Spacious luggage and payload compartment behind the folding rear seat

Three side doors; one rear door opening upwards

Speed 110 km p. h. or 69 m. p. h.; fuel consumption 9,4 ltr./100 km or 30 m. p. Imp. g.



ŠKODA 1202



WELL DESIGNED, ROOMY, EFFICIENT DELIVERY VAN

Every detail backed by ample experience. All-metal body. The comfortable, upholstered cabin accommodating the driver, mate and one child is partitioned from the payload compartment. Three side doors; one rear door opening upwards can be locked in position by struts.

The engine compartment is automatically lighted whenever the bonnet is opened.

High-performance engine: 4 cylinder in-line, swept volume 1221 c. c. or 73.26 cu. in. developing a power output of SAE 47 HP at 4500 RPM.

Four forward speeds – one reverse.

Brakes: Foot-operated hydraulic all-wheel brake.

Hand-operated mechanical rear wheel brake.

Spare wheel and tool kit stored in a special locker under the payload compartment floor.

Asymmetric headlamps.



ŠKODA 1202

PICK - UP



All the ŠKODA cars present certain unique features not to be found in any other car.

The chassis frame is formed by an exceptionally rugged tube of special ŠKODA steel – the backbone of the entire car – giving the chassis extra high resistance to shock. This backbone tube houses the propeller shaft fitted with universal joints which are supported by needle roller bearings. This layout ensures perfect protection against rough weather and road conditions as well as any other adverse effects. This design, introduced thirty years ago, has, so far, not been beaten.

The flush-sided body of shell design, made of top-quality strong steel sheets, though remarkably sturdy is, moreover, fitted to a frame, so that the whole assembly ensures exceptional safety and long service life.

Dealers, businessmen, gardeners, milkmen, delivery taximen and a hoist of others will take full advantage of the ŠKODA 1202 Pick-Up. It will prove particularly useful in transporting high pieces of goods which a van cannot accommodate, and also for the haulage of bulky cases and such loads which require handling by cranes. Easy access to the load-carrying area, carrying capacity up to 710 kg or 1565 lbs, driver and mate included.

TECHNICAL DATA

| | Octavia | Octavia Super | Octavia Toringsport Super | Octavia Combi | Felicia Super | ŠKODA 1202 STW | ŠKODA 1202 Delivery VAN | ŠKODA 1202 Pick-Up |
|---------------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|----------------------------------|----------------------------------|----------------------------------|
| Max. speed km p. h. m. p. h. | 125 71 | 125 77 | 140 88 | 125 77 | 140 88 | 110 69 | 110 69 | 110 69 |
| Fuel consumption l/100 km m. p. l. g. | 8 35,32 | 8,5 33,3 | 9 31,4 | 8,6 32,9 | 9 31,4 | 9,4 30 | 9,4 30 | 9,4 30 |
| Power output HP/SAE r. p. m. | 42 4.500 | 47 4.500 | 53 5.100 | 47 4.500 | 53 5.100 | 47 4.500 | 47 4.500 | 47 4.500 |
| Climb ‰ | 53 | 39 | 40 | 37 | 40 | 27,6 | 27,6 | 27,6 |
| Gurb Weight kg lbs. | 930 2.050 | 930 2.050 | 930 2.050 | 965 2.123 | 940 2.070 | 1.100 2.425 | 1.080 2.380 | 1.060 2.330 |
| Tyres | 5,90 x 15'' | 5,90x15'' | 5,90x15'' | 5,90x15'' | 5,90x15'' | 6,00x16'' | 6,00x16'' | 6,00x16'' |
| Lenght mm ft. in | 4.065 13,4'' | 4.065 13,4'' | 4.065 13,4'' | 4.065 13,4'' | 4.065 13,4'' | 4.485 14,8.6'' | 4.485 14,8.6'' | 4.485 14,8.6'' |
| Width mm ft. in | 1.600 5,3'' | 1.600 5,3'' | 1.600 5,3'' | 1.600 5,3'' | 1.600 5,3'' | 1.700 5,7'' | 1.700 5,7'' | 1.700 5,7'' |
| Height mm ft. min | 1.430 4,8,3'' | 1.430 4,8,3'' | 1.430 4,8,3'' | 1.430 4,8,3'' | 1.430 4,8,3'' | 1.580 5,2.2'' | 1.580 5,2.2'' | 1.580 5,2.2'' |
| Groud clearance mm ft. min. | 175 6,89'' | 175 6,89'' | 175 6,89'' | 175 6,89'' | 175 6,89'' | 190 7,6'' | 190 7,6'' | 190 7,6'' |
| Track mm ft. in | 1.200/1.250 3,11.2''/ 4,1.2'' | 1.200/1.250 3,11.2''/ 4,1.2'' | 1.200/1.250 3,11.2''/ 4,1.2'' | 1.200/1.250 3,11.2''/ 4,1.2'' | 1.200/1.250 3,11.2''/ 4,1.2'' | 1.250/1.320 4,1.2''/ 4,4'' | 1.250/1.320 4,1.2''/ 4,4'' | 1.250/1.320 4,1.2''/ 4,4'' |
| Bore x stroke | 68 x 75 2,68''x2,95'' | 72 x 75 2,83''x2,95'' | 72 x 75 2,83''x2,95'' | 72 x 75 2,83''x2,95'' | 72 x 75 2,83''x2,95'' | 72 x 75 2,83''x2,95'' | 72 x 75 2,83''x2,95'' | 72 x 75 2,83''x2,95'' |
| Swept volume | 1.089 cc 66,43 cu. in | 1.221 cc 73,26 | 1.221 73,26 | 1.221 73,26 | 1.221 73,26 | 1.221 73,26 | 1.221 73,26 | 1.221 73,26 |

MOTOKOV PRAHA - ČSSR