Zuk



PASSENGER AND GOODS CARRIER ZUK A07B



ZUK A07B is a transportation means of wide use.

The loading-space — fitted with windows and airconditioned, is equipped with folded soft seats with rear rest support.

The said carrier is designed for transportation of cargo up to 950 kg. which requires to be protected against dust and moisture or for transport of 7 passengers and goods of 425 kg weight, e.g. working staff together with equipment.


Two-person driver's cab has efficient heating and ventilation system and secures comfortable operation conditions.

The driver's cab can be separated from the loading-space

by an easy to assemble partition-wall, which is a part of the van's equipment.

The goods-passenger space is equipped with a two-wing rear door, which can be opened up and down, as well as with a side-door in the right hand side of the vehicle. The vehicles produced at present are equipped with modernized driver's cab, bigger windscreen, screen washers, anchors for safety belts and two heaters with separate fans.

Thanks to its strong frame, durability, manoeuvrability and speed this van is an irreplaceable means of transport for retail trade network, service workshops, repair groups etc.



TECHNICAL CHARACTERISTICS Engine

Type — S21 (17 oder 19) (carburettor, O.H.V.)

Fuel — petrol, not less than LO=78, recommended fuel — gasoline 85LO/B

Engine capacity — 2120 cm³

Max. rating — 51.5 KW (70 HP) at 4000 r.p.m. (DIN)

Max. torque — 150 N.m. (15 kGm) at 2500 r.p.m. (DIN)

Fuel tank capacity - 55 I

Oil system capacity — 5 I

Type of carburettor — JIKOV 40 SOP or WEBER 34S2B1 Ignition plug — (225-240) M14×1.25 BOSCH, ISKRA

F75

Dynamo — 12 V/300 W

Battery - 12 V/45 Ah

Transmission system

Type of gearbox — mechanical Number of speeds — 3+1 rear

Synchromeshed speeds — 2nd and 3 nd

Tires

Radial tires - 6.50 R-16/10 PR

Air pressure: front wheels — 0.25 MN/(m²/2.5 kG/cm² rear wheels — 0.32 MN/m²/3.2 kG/cm²

Chassis

Wheelbase - 2700 mm

Wheel track: front — 1368 mm

rear - 1375 mm

Ground clearance — transverse: — 210 mm

longitudinal: 290 mm

Body

Number of seats indriver's cab — 2+5 Loading-box area — 4 m²

Weight

Empty weight — 1550 kg Loading capacity — 950 kg or 7 persons and luggage of 425 kg

Dimensions


Length — 4330 mm


Width — 1820 mm

Height (when unloaded) - max. 2220 kg

Fuel consumption — 14 I/100 km

Max. speed — 95 km/h







Manufacturer: FABRYKA SAMOCHODÓW CIĘŻAROWYCH Lublin Poland



Export - Import
POL-MOT
FOREIGN TRADE ENTERPRISE
FOR AUTOMOTIVE INDUSTRY
ul. Stalingradzka 23, 00-983 Warszawa,
Poland