

**Zuk**



**BOX-TYPE  
DELIVERY VAN  
ŽUK**

**A11B**

# zmk



ŽUK A11B Delivery Van is destined for transportation of cargo up to 1100 kg.

Completely flat floor of the loading area of 4.6 sq.m enables carrying pallets. It can be tightly covered by tarpaulin, fitted on easy to disassemble metal bows.

Two-person driver's cab has an efficient heating and ventilation system ensuring comfortable driving conditions to the staff. The cab is separated from the loading space by a firmly-fixed partition-wall.

The opening side-walls and rear-side opened wall of the loading-box facilitate loading and unloading the van, enable using special reloading devices.

The vans are now produced with modernized driver's cab in which, among other items, bigger windscreen, screen washers, anchors for fixing the safety-belts, as well as two heaters equipped with separate fans are installed. Thanks to its strong frame, reliable engine, great durability, manoeuvrability and speed this van is an irreplaceable means of transport for bulky-materials, general cargo, goods on pallets etc.

## TECHNICAL CHARACTERISTICS

### Engine

Type — S21 (17 oder 19) (carburettor, O.H.V.)

Fuel — petrol, not less than LO=78, recommended fuel — gasoline 85 LO/B

Engine capacity — 2120 cm<sup>3</sup>

Max. rating — 51.5 KW (70 HP) at 4000 r.p.m. (DIN)

Max. torque — 150 N.m. (15 kGm) at 2500 r.p.m. (DIN)

Fuel tank capacity — 55 l

Oil system capacity — 5 l

Type of carburettor — JIKOV 40 SOP or WEBER 34S2B1

Ignition plug — 225-240/ M14×1.25 BOSCH, ISKRA F75

Dynamo — 12 V/300 W

Battery — 12 V/45 AW

### Transmission system

Type of gearbox — mechanical

Number of speeds — 3+1 rear

Synchromeshed speeds — 2<sup>nd</sup> and 3<sup>rd</sup>

### Tires

Radial tires — 6.50 R-16/10 PR

Air pressure: front wheels — 0.25 MN/m<sup>2</sup> 2.5 atm

rear wheels — 0.32 MN/m<sup>2</sup> 3.2 atm

### Chassis

Wheelbase — 2700 mm

Wheel track: front — 1368 mm

rear — 1375 mm

### Body

Number of seats in driver's cab — 1+1

Loading-box area — 4.6 sq.m

### Weights

Empty weight — 1400 kg (acc. to PN-77/S-02014)

Loading capacity — 1100 kg

Admissible total weight — 2500 kg

### Dimensions

Length — 4400 mm

Width — 1875 mm


With canvass — 2400 mm

Without canvass — 2240 mm

Height (when unloaded) — 2330 mm

Fuel consumption — 14 l/100 km

Max. speed — 95 km/h





**Manufacturer:**  
**FABRYKA SAMOCHODÓW**  
**CIĘŻAROWYCH**  
Lublin  
Poland



**Export-Import**  
**POL-MOT**  
**FOREIGN TRADE ENTERPRISE**  
**FOR AUTOMOTIVE INDUSTRY**  
ul. Stalingradzka 23, 00-983 Warszawa,  
Poland