

DELIVERY VAN A O 6 B



ŻUK A06B Delivery Van is a general-purpose delivery van for transportation of cargo up to 975 kg.

Tightly-closed metal body protects goods against dust and weathering.

Two-person driver's cab with efficient heating and ventilation systems secure the proper operation conditions.


The driver's cab can be separated from the loading-box by an easy to assemble partition-wall which is included into the equipment of the van.


Side-door at the right hand side of the van and doublewing rear door, which upper part is opened up and kept in horizontal position by special support and which lower part is opened down and kept in horizontal position by chains, enables easy access to the loading-space, and facilitates loading and unloading goods.

The vans produced at present are equipped with modernized driver's cab, bigger windscreen, screen washers, anchorages for safety belts and two heaters with separate fans.

Thanks to its strong frame, reliable engine, manoeuvrability, durability and speed the van is an irreplaceable means of transport for retail-trade network service and service workshop.







TECHNICAL CHARACTERISTICS

Engine

Type — S21 (17 oder 19), (carburettor, O.H.V.)
Fuel — petrol not less than LO=78, recommended fuel —
gasoline 85LO/B
Engine capacity — 2120 cm³
Max. rating — 51.5 KW (70HP) at 4000 r.p.m. (DIN)
Max. torque — 150 N.m. (15 kGm) at 2500 r.p.m. (DIN)
Fuel tank capacity — 55 I
Oil system capacity — 5 I
Type of carburettor — JIKOV 40 SOP or WEBER 34S2B1
Ignition plug — (225-240) M14×1.25 BOSCH, ISKRA
F75
Dynamo — 12 V/300 W
Battery — 12 V/45 Ah

Transmission system

Type of gearbox — mechanical Number of speeds — 3+1 rear Synchromeshed speeds — 2 nd and 3 nd

Tires

Radial tires - 6.50R-16/10 PR

Air pressure: front wheels — 0.25 MN/m²/2.5 atm rear wheels — 0.32 MN/m²/3.2 atm

Chassis

Wheelbase — 2700 mm Wheel track: front — 1368 mm rear — 1375 mm

Body

Number of seats in the driver's cab — 1+1 Loading-box area — 4 sq m

Weight

Empty weight — 1525 kg (acc. to PN-77/S-02014) Loading capacity — 975 kg Maximum total weight — 2500 kg

Dimensions

Length — 4330 mm Width — 1820 mm Height (when unloaded) — max. 2220 mm Fuel consumption — 14 I/100 km Max. speed — 95 km/h



Manufacturer:
FABRYKA SAMOCHODÓW
CIĘŻAROWYCH
Lublin
Poland



Export-Import
POL-MOT
FOREIGN TRADE ENTERPRISE
FOR AUTOMOTIVE INDUSTRY
ul. Stalingradzka 23, 00-983 Warszawa,
Poland